



Brett Concrete
Brett House
St Michaels Close
Aylesford
Kent ME20 7XE



13

EN 13813 CT-C25-F5
(3:1 Retarded Cementitious Screed)

**Cementitious screed material for use internally in
buildings**

Reaction to Fire:	NPD
Release of corrosive substances:	NPD
Water permeability:	NPD
Water Vapour permeability:	NPD
Compressive Strength:	C25
Flexural Strength:	F5
Wear resistance:	NPD
Sound insulation:	NPD
Sound absorption:	NPD
Thermal resistance:	NPD
Chemical resistance:	NPD

Declaration of Conformity

Dover Plant
Brett Concrete
Brett House
St Michaels Close
Aylesford
Kent ME20 7XE



CT-C25-F5 Cementitious screed material for use internally in buildings
(3:1 Retarded Cementitious Screed)

Compressive Strength	C25
Flexural Strength	F5

EN 13813 for Cementitious screed material

Leveling screed for use internally in buildings

P G Collinson

Conformity Manager

Signature;

A handwritten signature in black ink, appearing to read 'P G Collinson', written over a horizontal line.

Declaration of Conformity

Ipswich East Plant
Brett Concrete
Brett House
St Michaels Close
Aylesford
Kent ME20 7XE



CT-C25-F5 Cementitious screed material for use internally in buildings
(3:1 Retarded Cementitious Screed)

Compressive Strength	C25
Flexural Strength	F5

EN 13813 for Cementitious screed material

Leveling screed for use internally in buildings

P G Collinson **Conformity Manager**

Signature;

A handwritten signature in black ink, appearing to read 'P G Collinson', written over a horizontal line.

Declaration of Conformity

**Maidstone Plant
Brett Concrete
Brett House
St Michaels Close
Aylesford
Kent ME20 7XE**



**CT-C25-F5 Cementitious screed material for use internally in buildings
(3:1 Retarded Cementitious Screed)**

Compressive Strength	C25
Flexural Strength	F5

EN 13813 for Cementitious screed material

Leveling screed for use internally in buildings

P G Collinson Conformity Manager

Signature;

A handwritten signature in black ink, appearing to read 'P G Collinson', written over a horizontal line.

Declaration of Conformity

Northfleet Plant
Robins Wharf
Grove Road
Northfleet
Gravesend
Kent DA11 9AX



CT-C25-F5 Cementitious screed material for use internally in buildings
(3:1 Retarded Cementitious Screed)

Compressive Strength C25
Flexural Strength F5

EN 13813 for Cementitious screed material

Leveling screed for use internally in buildings

K M Sharpe

Quality Manager

Signature;

A handwritten signature in black ink, appearing to be 'K M Sharpe', written over a horizontal line.