



Brett Concrete
Brett House
St Michaels Close
Aylesford
Kent ME20 7XE



13

EN 13813 CT-C10-F2

(4:1 Retarded Cementitious Screed with Fibres Early Drying)

Cementitious screed material for use internally in buildings

Reaction to Fire:	NPD
Release of corrosive substances:	NPD
Water permeability:	NPD
Water Vapour permeability:	NPD
Compressive Strength:	C10
Flexural Strength:	F2
Wear resistance:	NPD
Sound insulation:	NPD
Sound absorption:	NPD
Thermal resistance:	NPD
Chemical resistance:	NPD

Declaration of Conformity

Dover Plant
Brett Concrete
Brett House
St Michaels Close
Aylesford
Kent ME20 7XE



CT-C10-F2 Cementitious screed material for use internally in buildings
(4:1 Retarded Cementitious Screed with Fibres Early Drying)

Compressive Strength C10
Flexural Strength F2

EN 13813 for Cementitious screed material

Leveling screed for use internally in buildings

P G Collinson Conformity Manager

Signature;

A handwritten signature in black ink, appearing to read 'P G Collinson', written over a horizontal line.

Declaration of Conformity

Ipswich East Plant
Brett Concrete
Brett House
St Michaels Close
Aylesford
Kent ME20 7XE



CT-C10-F2 Cementitious screed material for use internally in buildings
(4:1 Retarded Cementitious Screed with Fibres Early Drying)

Compressive Strength **C10**
Flexural Strength **F2**

EN 13813 for Cementitious screed material

Leveling screed for use internally in buildings

P G Collinson

Conformity Manager

Signature;

A handwritten signature in black ink, appearing to read 'P G Collinson', written over a horizontal line.

Declaration of Conformity

Maidstone Plant
Brett Concrete
Brett House
St Michaels Close
Aylesford
Kent ME20 7XE



CT-C10-F2 Cementitious screed material for use internally in buildings
(4:1 Retarded Cementitious Screed with Fibres Early Drying)

Compressive Strength **C10**
Flexural Strength **F2**

EN 13813 for Cementitious screed material

Leveling screed for use internally in buildings

P G Collinson **Conformity Manager**

Signature;

A handwritten signature in black ink, appearing to read 'P G Collinson', written over a horizontal line.

Declaration of Conformity

Northfleet Plant
Robins Wharf
Grove Road
Northfleet
Gravesend
Kent DA11 9AX



CT-C10-F2 Cementitious screed material for use internally in buildings
(4:1 Retarded Cementitious Screed with Fibres Early Drying)

Compressive Strength **C10**
Flexural Strength **F2**

EN 13813 for Cementitious screed material

Leveling screed for use internally in buildings

K M Sharpe **Quality Manager**

Signature;